

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: <b>A61K 31/70, A61F 13/20, G02C 7/02</b>		A1	(11) International Publication Number: <b>WO 95/07085</b> (13) International Publication Date: <b>16 March 1995 (16.03.95)</b>
<p>(21) International Application Number: <b>PCT/US94/10175</b></p> <p>(22) International Filing Date: <b>7 September 1994 (07.09.94)</b></p> <p>(36) Priority Data: 02/116,908                    7 September 1993 (07.09.93)            US</p> <p>(71) Applicant: <b>ESCALON OPHTHALMICS, INC. [US/US]; 182 Tamarack Circle, Skillman, NJ 08558 (US).</b></p> <p>(72) Inventor: <b>BENEDETTO, Dominick, A.; 124 Avenue B, Bayonne, NJ 07002 (US).</b></p> <p>(74) Agent: <b>SAUNDERS, Thomas, M.; Lorusso &amp; Louis, 440 Commercial Street, Boston, MA 02109 (US).</b></p>		<p>(81) Designated States: CA, JP, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).</p> <p>Published <i>With international search report.</i></p>	
<p>(54) Title: <b>SURFACE ACTIVE VISCOELASTIC SOLUTIONS FOR OCULAR USE</b></p> <p>(57) Abstract</p> <p>This invention encompasses a modified mucopolysaccharide solution for use as a biologically active therapeutic infusion comprising a pharmaceutical grade viscoelastic fraction selected from a group consisting of an acyl-substituted hyaluronic acid having acyl groups thereof with three to twenty carbon atoms and mixtures of said acyl-substituted hyaluronic acid with hyaluronic acid, and hydroxypropylmethylcellulose. In particular these solutions have a surface tension of between 40 and 65 dynes/cm<sup>2</sup>, particularly a viscoelastic fraction has an average molecular weight of at least 50,000. In some embodiments a physiological buffer fraction is present. This invention further encompasses a method of using the claimed composition.</p>			

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Mauritius
BH	Barbados	GN	Gabon	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Burma	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KR	Kazakhstan	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LK	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SM	San Marino
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CR	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Ghana				

WO 95/07085

PCT/US94/10175

1           SURFACE ACTIVE VISCOELASTIC SOLUTIONS FOR OCULAR USE

2

3           This application is a continuation-in-part of copending  
4       U.S. Pat. App. 08/061,773 filed May 13, 1993, which is a  
5       continuation of U.S. Pat. App. 07/440,078 filed November 22,  
6       1989, now abandoned.

7

8           **Field of the Invention.**

9           The present invention relates to ophthalmic solutions for  
10      use during ocular and intraocular surgery, and more particularly  
11      to the use of surface active viscoelastic solutions during the  
12      extraction of a cataractous human lens and the implantation of a  
13      prosthetic ocular and intraocular lens. During surgery, the use  
14      of ophthalmic infusions with controlled physical properties,  
15      especially surface activity and viscoelastic properties, is  
16      advantageous for (1) replacing the fluid aqueous humor or ocular  
17      and intraocular air, (2) protecting the internal structures of  
18      the eye from accidental instrument or ocular and intraocular  
19      prosthetic device contact, (3) preventing irrigation damage by  
20      solutions used in routine cataract surgery, and (4) retarding  
21      aspiration from the eye of the viscoelastic solution during the  
22      surgical procedure. In addition, the invention relates to a  
23      method of adhering a contact lens to the surface of the eye,  
24      such as in association with procedures permitting a medical  
25      professional to view ocular and intraocular structures through  
26      the contact lens and through the viscoelastic solution. In

27

28